

# Change Notice

## *BLS Provider Manual*

Print ISBN 978-1-68472-310-2, AHA Product Number 25-1102

eBook ISBN 978-1-68472-319-5, AHA Product Number 25-3102

Print Page Number	Location	Original Text	Change	When Change Was Identified
117	Infant CPR Skills Testing Checklist (1 of 2) > In-Hospital Scenario	“You see a person run through the door carrying an infant. They shout, ‘Help me! My baby’s not breathing.’ You have gloves and a pocket mask. You send your coworker to activate the emergency response system and to get the emergency equipment.”	“You see a person run through the door carrying an infant. They shout, “Help me! My baby’s not breathing.” You check that the scene is safe and then approach the infant. You have gloves and a pocket mask. You send your coworker to activate the emergency response system and get the emergency equipment. Demonstrate what you would do next.”	10/29/25
119	Infant CPR Skills Testing Critical Skills Descriptors > 2. Performs high-quality chest compressions... > 6 <sup>th</sup> bullet > Delete subbullet	– Delivers 2 breaths so less than 10 seconds elapses between last compression of one cycle and first compression of next cycle	<del>– Delivers 2 breaths so less than 10 seconds elapses between last compression of one cycle and first compression of next cycle</del>	10/29/25
119	Infant CPR Skills Testing Critical Skills Descriptors > 3. Provides effective ventilations... > Move current text to the bottom of the numbered list and renumber 3. as 7.	3. Provides effective ventilations with bag-mask device during 2-rescuer CPR <ul style="list-style-type: none"> <li>• Opens airway adequately</li> <li>• Delivers each breath over 1 second</li> <li>• Delivers breaths that produce visible chest rise</li> <li>• Avoids excessive ventilation</li> <li>• Resumes chest compressions in less than 10 seconds</li> </ul>	7. Provides effective ventilations with bag-mask device during 2-rescuer CPR <ul style="list-style-type: none"> <li>• Opens airway adequately</li> <li>• Delivers each breath over 1 second</li> <li>• Delivers breaths that produce visible chest rise</li> <li>• Avoids excessive ventilation</li> <li>• Resumes chest compressions in less than 10 seconds</li> </ul>	10/29/25

119	Infant CPR Skills Testing Critical Skills Descriptors > Add new 3.	N/A	3. Provides 2 breaths using a barrier device <ul style="list-style-type: none"> <li>• Opens airway adequately</li> <li>• Delivers each breath over 1 second</li> <li>• Delivers breaths that produce visible chest rise</li> <li>• Avoids excessive ventilation</li> <li>• Resumes chest compressions in less than 10 seconds</li> </ul>	10/29/25
119	Infant CPR Skills Testing Critical Skills Descriptors > 4. Switches compressions... > Add new 4. and renumber 4. as 5. Switches...	4. Switches compression technique...	4. Performs same steps for compressions and breaths for Cycle 2 5. Switches compression technique...	10/29/25
119	Infant CPR Skills Testing Critical Skills Descriptors > 5. Performs high-quality chest... > Change 5. to 6.	5. Performs high-quality chest...	6. Performs high-quality chest...	10/29/25
119	Infant CPR Skills Testing Critical Skills Descriptors > 5. > 7 <sup>th</sup> bullet > Delete	• Delivers 2 breaths so less than 10 seconds elapses between last compression of one cycle and first compression of next cycle	<del>• Delivers 2 breaths so less than 10 seconds elapses between last compression of one cycle and first compression of next cycle</del>	10/29/25
115	Adult CPR and AED Skills Testing Critical Skills Descriptors > 2. Performs high-quality chest compressions... > 4 <sup>th</sup> bullet	• Minimizes interruptions in compressions – Delivers 2 breaths so less than 10 seconds elapses between last compression of one cycle and first compression of next cycle  – Compressions resumed immediately after	• Minimizes interruptions in compressions	12/19/25

		shock/no shock indicated		
--	--	-----------------------------	--	--